







# Self-Clinching Standoffs for Thin Panels (.025"/0.65mm Min.)


### **FEATURES**


- Precisely spaces stacked and/or mating panels and chasses.
- Self-clinching design provides permanent installation in sheets as thin as .025" (0.63mm).
- Miniature threads and body diameters available for small–scale applications.
- Choice of RoHS compliant materials and finishes.














TYPE 1 (Thru)

TYPE 2 (Screw will not pass thru unthreaded end)

TYPE 3 (Blind)

#### **GENERAL**

All dimensions in inches

				Sheet			D		
	Thread	Thread Code	Minimum Thickness	Hole Size +.003 000	Minimum Distance Hole Center to Edge	C +.000 005	Minimum Thread Depth	H Nom.	
_	0-80	080	005	.128	.19	.127	.125	.156	
INCH		40801	.025	.166	.23	.165		.187	
-	0.56	4256 <sup>1</sup>	.025	.166	.23	.165	.200	.187	
	2-56	6256 <sup>1</sup>		.213	.27	.212		.250	
	4.40	440	005	.166	.23	.165	.220	.187	
	4-40	6440¹	.025	.213	.27	.212		.250	
	6-32	632	.025	.213	.27	.212	.270	.250	



TP Standoff with C=.127"/3.23mm

(1) Standoffs with thread codes 4080, 4256, 6256 and 6440 offer greater wall thicknesses for 0-80, 2-56 and 4-40 threads, respectively.

PF-TP 04/13/11 1 © Pencom 2011



## **GENERAL (CONTINUED)**

All dimensions in millimeters

				Sheet			D		
	Thread	Thread Code	Minimum Thickness +0.08 Hole C		Minimum Distance Hole Center to Edge	C +0.00 -0.13	Minimum Thread Depth	H Nom.	
	M1.6 x 0.35	2M16	0.63	3.25	4.8	3.23	3.5	3.96	
2	W11.6 X U.35	3M16 <sup>1</sup>	0.63	4.22	5.8	4.19	3.0	4.76	
METRIC	M2 x 0.4	M2	0.63	3.25	4.8	3.23	3.9	3.96	
Ī		3M2 <sup>1</sup>		4.22	5.8	4.19		4.76	
	M2.5 x 0.45	3M25	0.63	4.22	5.8	4.19	5.2	4.76	
	INIZ.3 X U.43	35M25 <sup>1</sup>	0.63	5.41	7.1	5.39	5.2	6.35	
	M3 x 0.5	МЗ	0.63	4.22	5.8	4.19	6.0	4.76	
		35M3 <sup>1</sup>	0.03	5.41	7.1	5.39	6.2	6.35	
	M3.5 x 0.6	M35	0.63	5.41	7.1	5.39	7.0	6.35	

<sup>(1)</sup> Standoffs with thread codes 3M16, 3M2, 35M25 and 35M3 offer greater wall thicknesses for M1.6, M2, M2.5 and M3 threads, respectively.


**LENGTH**All dimensions in inches

	Thread		L (Length) ±.003												
_	0-80	.0901	.1251	.1871	.250 <sup>2</sup>	.3122	.375³	.437³	.500³	.562³	.625³	.687³,4	.7503,4		
NC	2-56	.0901	.1251	.1871	.250¹	.3122	.3752	.437³	.500³	.562³	.625³	.687³	.750³		
-	4-40	.0901	.1251	.1871	.250¹	.3122	.3752	.4372	.500³	.562³	.625³	.687³	.750³		
	6-32	_	.1251	.1871	.250¹	.3121	.375²	.4372	.500²	.562³	.625³	.687³	.750³		


All dimensions in millimeters

	Thread		L (Length) ±0.08												
ی	M1.6	2.001	3.001	4.001	6.00 <sup>2</sup>	8.002	10.00³	12.00³	14.00³	16.00³	18.003,4	19.003,4			
TRIC	M2	2.001	3.001	4.001	6.001	8.00 <sup>2</sup>	10.00³	12.00³	14.00³	16.00³	18.003,4	19.003,4			
ME	M2.5	2.00 <sup>1</sup>	3.00 <sup>1</sup>	4.001	6.00 <sup>1</sup>	8.00 <sup>2</sup>	10.00³	12.00³	14.00³	16.00³	18.00³	19.00³			
	M3	2.001	3.001	4.001	6.001	8.00 <sup>2</sup>	10.00 <sup>2</sup>	12.00³	14.00³	16.00³	18.00³	19.00³			
	M3.5	_	3.001	4.001	6.00 <sup>1</sup>	8.001	10.00 <sup>2</sup>	12.00 <sup>2</sup>	14.00³	16.00³	18.00³	19.00³			

(1) Type 1



(3) Type 3



- (4) Not available for standoffs where C = .127 (3.23mm)
- (5) Custom lengths and type combinations available by request.




#### **MATERIAL & FINISH**

Material	Material	Finish	Finish.	For Use in Sheet Hardness		
Code	Description	Code	Finish Description		HRB 60 Max.	HRB 70 Max.
ST	12L14 Carbon Steel	Z	Zinc (SC1) with Type III Clear Chromate per ASTM B 633		•	
SS	303 Stainless Steel	Р	Passivate and/or test per ASTM A 967			•
AL	Aluminum	PLN	Plain	•		

#### **INSTALLATION**

- 1. Punch or drill hole in sheet. Do not deburr edges.
- 2. Insert standoff through hole in sheet and into the anvil as shown.
- 3. Squeeze the sheet and standoff head between parallel punch and anvil surfaces. Use only enough pressure to seat the standoff head flush with the sheet.
- 4. Anvil with countersink is required for installation in sheets with thickness .025" to .032" (0.63mm to 0.81mm). Anvil with countersink is not required for installation in sheets with thickness greater than .032" (0.81mm). Punch and anvil should be made from hardened steel.



#### **ANVIL DIMENSIONS**

H	Standoff C Dimension	A +.003 000	B +.007 000
INCH	.127	.129	.156
	.165	.167	.187
	.212	.213	.250

RIC	Standoff C Dimension	A +0.08 -0.00	B +0.18 -0.00
METRIC	3.23	3.28	3.96
	4.19	4.24	4.75
	5.39	5.41	6.35



## **PERFORMANCE**

			Test Sheet Material							
	Standoff C	Standoff Material	.025" 5	5052-H34 Alu	minum	.025" Cold-Rolled Steel				
	Dimension	Code	Installation (lbs)	Push-out (lbs)	Torque-out (in-lbs)	Installation (lbs)	Push-out (lbs)	Torque-out (in-lbs)		
		ST			4.5	1500	80	6.5		
	.127	SS	900	60		1300	80	0.5		
INCH		AL				(2)	(2)	(2)		
=		ST	1500	70	6.0	2000	100	9.0		
	.165	SS								
		AL				(2)	(2)	(2)		
		ST				2500	150	15.0		
	.212	SS	1800	90	11.0	2500	150	15.0		
		AL				(2)	(2)	(2)		

				Test Sheet Material							
	Standoff C	Standoff Material	0.63mm 5052-H34 Aluminum			0.63mm Cold-Rolled Steel					
	Dimension	Code	Installation (kN)	Push-out (N)	Torque-out (N-m)	Installation (kN)	Push-out (N)	Torque-out (N-m)			
		ST				6.7	356	0.73			
ی	3.23	SS	4.0	267	0.51	0.7	330	0.75			
METRIC		AL				(2)	(2)	(2)			
ME		ST	6.7	311	0.68	8.9	445	1.01			
	4.19	SS				8.9	445	1.01			
		AL				(2)	(2)	(2)			
		ST				11.1	667	1.69			
	5.39	SS	8.0	400	1.24	11.1					
		AL				(2)	(2)	(2)			

<sup>(1)</sup> Performance data represents the average destructive result for standoffs only when all installation specifications are strictly followed. Variations in panel hole size, thickness, material and installation methods will affect the loads. Pencom strongly encourages testing the application.

<sup>(2)</sup> Not recommended.